

Verkningsgrad IE2 enligt IEC 60034-30 (0,75 - 375 kW)

Typ	Effekt kW	Varvtal rpm	Pris Kr			Ström 400 V A	Cos φ	η %	M Nm	Ist/I	Mst/M	J kgm ²	Vikt B3 kg
			B3 fot	B5, B14 fläns	B3/B14 B3/B5 fot/fläns								
MS56A-2	0.09	2670	670	690	710	0.35	0.65	57	0.32	6	2.2	0.0001	2.8
MS56B-2	0.12	2730	750	770	780	0.4	0.69	62	0.42	6	2.2	0.00012	3.2
MS63A-2	0.18	2710	790	810	830	0.55	0.75	63	0.63	6	2.2	0.00014	4
MS63B-2	0.25	2750	830	860	870	0.71	0.78	65	0.88	6	2.2	0.00016	4.4
MS71A-2	0.37	2730	1 060	1 090	1 120	0.97	0.79	70	1.3	6	2.2	0.00034	5.6
MS71B-2	0.55	2760	1 100	1 130	1 150	1.42	0.79	71	1.9	6	2.2	0.00042	6.1
ME80A-2	0.75	2840	1 570	1 620	1 650	1.86	0.8	77.4	2.5	5.8	2.9	0.00078	8.7
ME80B-2	1.1	2850	1 780	1 830	1 860	2.52	0.82	80	3.7	6.8	3.5	0.00098	10.5
ME90S-2	1.5	2850	2 240	2 310	2 350	3.17	0.83	81.4	5	6.9	3.5	0.0016	13
ME90L-2	2.2	2860	2 560	2 630	2 680	4.54	0.84	83.2	7.3	7.9	4.1	0.00161	15
ME100LA-2	3	2880	3 490	3 600	3 670	5.75	0.87	84.6	9.9	7.8	3.4	0.00322	24
ME112M-2	4	2890	3 980	4 090	4 170	7.56	0.89	86	13.2	7.5	2.7	0.00499	26
ME132SA-2	5.5	2900	6 040	6 220	6 340	10.3	0.89	87.2	18.1	7.7	2.4	0.01168	44
ME132SB-2	7.5	2910	6 810	7 010	7 150	14	0.89	88.1	24.6	8.4	2.6	0.01431	48
ME160MA-2	11	2930	10 380	10 690	10 900	19.7	0.89	89.4	35.9	7.6	2.4	0.04707	78
ME160MB-2	15	2930	11 760	12 110	12 350	26.3	0.89	90.3	48.9	8	2.6	0.05727	92
ME160L-2	18.5	2940	13 150	13 540	13 800	31.9	0.9	90.9	60.1	9	3	0.066	104
WE160MA-2	11	2940	12 180	12 550	12 790	19.5	0.9	89.4	35.7	7.5	2.2	0.0549	109
WE160MB-2	15	2940	13 000	13 390	13 650	26.4	0.9	90.3	48.7	7.5	2.2	0.0635	119
WE160L-2	18.5	2940	14 450	14 880	15 170	32.3	0.91	90.9	60.1	7.5	2.2	0.0725	136
WE180M-2	22	2940	18 880	19 450	19 830	38.1	0.91	91.3	71	7.5	2	0.1025	172
WE200LA-2	30	2950	24 600	25 340	25 830	51.8	0.91	91.2	97	7.5	2	0.173	223
WE200LB-2	37	2950	26 400	27 190	27 720	63.5	0.91	92	120	7.5	2	0.195	242
WE225M-2	45	2970	32 720	33 700	34 350	76	0.91	92.5	145	7.5	2	0.325	302
WE250M-2	55	2970	38 840	40 000	40 780	93.8	0.9	92.9	177	7.5	2	0.395	382
WE280S-2	75	2970	49 300	50 780	51 770	126	0.91	93.2	241	7.5	2	0.683	515
WE280M-2	90	2970	53 670	55 280	56 350	150	0.91	93.8	289	7.5	2	0.765	545
WE315S-2	110	2980	106 820	110 020	112 160	193	0.91	94.1	353	7.1	1.8	1.558	930
WE315M-2	132	2980	115 420	118 880	121 190	231	0.91	94.3	423	7.1	1.8	1.726	980
WE315LA-2	160	2980	124 580	128 320	130 810	280	0.91	94.6	513	7.1	1.8	1.941	1090
WE315LB-2	200	2980	129 100	132 970	135 550	348	0.91	94.7	641	7.1	1.8	2.212	1190
WE355M-2	250	2980	191 490	197 230	201 060	400	0.9	95.3	801	7.1	1.6	3.849	1710
WE355L-2	315	2980	195 810	201 680	205 600	546	0.91	95	1009	7.1	1.6	3.995	1920

Kullager och radialtätningar

Motorstorlek	Lager DE	Lager NDE	Radialtätning DE	Radialtätning NDE
MS56	6201-2Z	6201-2Z	12x22x5	12x22x5
MS63	6201-2Z	6201-2Z	12x24x5	12x24x5
MS71	6202-2Z	6202-2Z	15x25x7	15x25x7
ME/MS80	6204-2Z	6204-2Z	20x34x7	20x34x7
ME90	6205-2Z	6205-2Z	25x37x7	25x37x7
ME100	6206-2Z	6206-2Z	30x44x7	30x44x7
ME112	6306-2Z	6206-2Z	30x44x7	30x44x7
ME132	6308-2Z	6208-2Z	40x58x8	40x58x8